CHECKOUT GATES

Checkout Barrier – Mechanical Swing Gate

An economical spring-return swing gate that shows customers the way in and out, with a reverse breakout for emergency exit.

Product code **48148281**

Hand **Left or right**



90°	1090 mm	650–1100	L / R
opening angle	overall height	adjustable arm, mm	left or right handed

Overview

An effective and economical way to direct customers at entrances, exits and checkouts. The gate positively shows the direction of flow and suits areas where maximum security is not required.

It opens through 90° and returns to closed under spring tension. Firm body pressure opens it in the reverse direction to give an emergency exit; a simple adjustment turns this off when the gate is used as an exit.

Key features

- **90° opening** with spring return to closed
- **Reverse breakout** for emergency exit
- **Hydraulically cushioned** return to the resting position
- **Adjustable arm** from 650 to 1100 mm, cut to size
- **Left or right handed** to suit your layout
- **Bright chrome** mild steel body

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online

Specification

Product code	48148281
Dimensions	
Overall height	1090 mm
Gate arm	900 mm standard, adjustable from 650 to 1100 mm (cut to size)
Sign panel height	300 mm
Arm height	Lower rail approx. 600 mm above floor
Post diameter	60 mm
Arm tube diameter	27 mm
Operation	
Opening angle	90°
Return	Spring tension, hydraulically cushioned
Emergency exit	Opens in reverse under firm body pressure; manual re-set of the arm after breakout
Exit use	Reverse breakout can be disabled by adjustment
Power	None, fully mechanical
Finish and options	
Body	Mild steel, bright chrome plated
Colour	Coloured powder coating available
Hand	Left or right handed
Sign	White plastic information sign, printed on both sides
Base	Square floor foot, supplied

Dimensions are nominal and taken from the standard gate with a 900 mm arm.

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online

How it works

Entry. Customers push the arm, which opens through 90° and returns to closed under spring tension once they are through.


Emergency exit. Firm pressure from the other side opens the gate in reverse. The arm is then re-set by hand.

Exit only. A simple adjustment disables the reverse breakout when the gate is used as an exit.

Where it is used

Supermarkets and retail stores, libraries, fitness centres and swimming pools, cinemas, office buildings and ticket checkpoints at arenas and event venues.

Best where you want to control the flow of foot traffic and security is less of a concern.



Standard gate dimensions in mm.

Talk to someone who sells this every day

Tell us about your entrance, exit and checkout layout, and we will help you choose the hand and arm length.

Call 0116 318 4182

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online