DOOR GUARDS

Door Guard Stopper

A steel hoop door guard with a rubber stopper that stops swinging doors from hitting walls. For internal and external use.

Product code **90764199**

Fixing **Root or surface fixed**



1100 mm	350 mm	Ø48 mm	3 finishes
height	width	steel tube	galvanised, powder coated, stainless

Overview

Door guards protect walls from being damaged by swinging doors. An integrated rubber stopper acts as a shock absorber, so the door does not hit the steel frame.

Ideal for commercial and industrial sites, they are suitable for internal and external use and can be used on their own or in pairs. Choose root fixed legs for concreting in, or surface fixed legs with base plates.

Key features

- **Rubber stopper** cushions the door
- **Internal or external** use
- **Single or in pairs** to suit the door
- **Root or surface fixed** options
- **Three finishes:** galvanised, galvanised and powder coated, or stainless steel
- **Made to order**

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online

Specification

Product code	90764199
Dimensions	
Height	1100 mm
Width	350 mm
Tube	Ø48 mm, 2 mm wall thickness
Tapping rail	50 mm × 5 mm
Fixing options	
Root fixed	Legs concreted in 300 mm below ground
Surface fixed	Round flange base plates, 120 mm × 5 mm
Finish	
Galvanised	Rust protection, most cost-effective
Galvanised and powder coated	Colour finish over galvanising
Stainless steel	Premium finish for front-of-house areas
Application	
Use	Stops outward-opening doors swinging back into walls
Locations	Commercial and industrial sites, internal and external
Supply	Made to order

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online

Which finish?

Galvanised is the most cost-effective option and protects against rust.

Galvanised and powder coated adds a colour finish on top of the galvanising.

Stainless steel is the premium choice where appearance matters.

Root fixed or surface fixed?

Root fixed legs are concreted 300 mm into the ground, the strongest option for new groundworks or soft ground.

Surface fixed door guards have round base plates for fixing down onto an existing concrete slab.



Door guard stopper protecting a building entrance.

Talk to someone who sells this every day

Tell us about your doors and site, and we will help you choose the finish and fixing.

Call 0116 318 4182

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online