
FIXED BOLLARDS

Fixed Bollard with LED Crown – 219 mm

A permanent steel bollard with an LED light crown, for protecting entrances, pedestrian zones and roadways.

Product code **60682181** | Height **500 or 700 mm**



150,000 J	Ø219 mm	500 / 700	LED crown
breaking resistance	shaft diameter	height options, mm	for visibility

Overview

A fixed bollard that gives permanent protection at entry points, pedestrian zones and roadways. It is securely anchored and takes significant vehicle impact.

The integrated LED light crown improves visibility in low light and clearly marks restricted areas. It matches our automatic and gas rising bollards, so you can mix fixed and rising bollards across one site.

Key features

- **LED light crown** for visibility at night
- **Painted steel** in RAL 7015 grey, or stainless steel
- **No moving parts** and very little maintenance
- **Matches our rising bollards** for mixed set-ups
- **150,000 J** breaking resistance
- **Two heights:** 500 mm or 700 mm

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online

Specification

Product code	60682181
Dimensions	
Height	500 mm or 700 mm
Shaft diameter	219 mm
Base plate	560 × 560 mm
Performance	
Breaking resistance	150,000 J
Light	Integrated LED light crown
LED supply	Needs our LED light crown power supply (sold separately)
Finish	
Options	Painted steel in RAL 7015 grey, or stainless steel

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online

Where it is used

Building entrances, pedestrian zones, car parks, roadways and sensitive infrastructure that need permanent vehicle exclusion.

Suitable for councils, transport authorities and commercial sites.

Part of a range

Use fixed bollards alongside our automatic and gas rising bollards to close off a wide opening, while keeping lanes that can be opened when needed.

For higher impact protection, see our 275 mm fixed bollards and high security fixed bollards.



Stainless steel finish with LED light crown.

Talk to someone who sells this every day

Tell us about your site and what you need to protect, and we will help you plan the bollards.

Call 0116 318 4182

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online