KEEP LEFT BOLLARDS

Flexible Keep Left Traffic Bollard

A non-illuminated, passively safe flexible keep left bollard, independently tested for use on UK highways.

Product code **32148550** | Size **370 × 923 × 90 mm**



923 mm	300 mm	5 kg	Recyclable
height	sign roundal	weight	polyethylene

Overview

A non-illuminated, passively safe keep left bollard, designed and independently tested to be fully compliant for UK highway use.

It has two parts: a universal bounce-back base and a sign shell, so it springs back after impact.

Key features

- **Passively safe**
- **Bounce-back base** recovers after impact
- **Highway compliant** BS 8442, BS EN 12767, BS EN 12899
- **Sign face options** keep left, keep right, pass either side, no entry
- **Black or white border**

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online

Specification

Product code	32148550
Dimensions	
Size	370 × 923 × 90 mm
Weight	5 kg
Sign face	300 mm roundal
Front reflector	332 × 756 mm
Side reflector	51.2 × 504 mm
Construction	
Material	Rotationally moulded polyethylene, recyclable
Colours	Black or white
Reverse	Blank, or yellow reflective
Fixing	Bolt down (110 × 110 mm centres) or retention socket
Standards	
Compliance	BS 8408:2005 (reflectivity), BS 8442:2015, BS EN 12767:2007 to 100:NE:4, BS EN 12899

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online

Where it is used

Traffic islands, pedestrian refuges, central reserves, junctions and car park lanes on highways and private roads.

Why flexible?

A flexible bollard bends when it is hit and springs back to its upright position, so it survives repeat impacts and does less damage to vehicles than a rigid post.



Retention socket for quick replacement.

Talk to someone who sells this every day

Tell us about your site and what you need to protect, and we will help you choose the right bollards.

Call 0116 318 4182

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online