STEEL BOLLARDS

Galvanised Cranked Bollard

A substantial cranked steel bollard for protecting building corners, speaker posts and drive-through lanes.

Product code **85769960** | Height **1100 mm**



1100 mm	101 mm	Cranked	3 mm
above ground	diameter	shape	wall thickness

Overview

A substantial cranked bollard with a simple, clean appearance. It is placed to protect corners of buildings and speaker posts, especially at drive-through restaurants.

Made from galvanised mild steel, it is built to look good for years. It is also used in traffic calming and pedestrian schemes and as a ram raid deterrent.

Key features

- **Cranked shape** protects corners and kerbs
- **Galvanised mild steel** for long life
- **Powder coat option** over the galvanising
- **Semi-domed top**
- **Bespoke sizes** on request

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online

Specification

Product code	85769960
Dimensions	
Height above ground	1100 mm
Diameter	101 mm
Wall thickness	3 mm
Shape	Round, cranked
Finish	
Options	Galvanised, or galvanised and powder coated
Top	Semi-domed
Fixing	Root fixed

store fittings direct

Where it is used

Drive-through restaurants, retail units, building corners, speaker posts and service lanes.

Why cranked?

The crank lets the bollard sit tight against a wall or kerb at ground level while the upper section stands proud, so it catches a vehicle before it reaches the building.



Powder coated cranked bollard protecting a building corner.

Talk to someone who sells this every day

Tell us about your site and what you need to protect, and we will help you choose the right bollards.

Call 0116 318 4182

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online