STEEL BOLLARDS

Galvanised Steel Bollard – 1000 mm Above Ground

A galvanised steel bollard standing 1000 mm above ground, in 13 diameters from 60 to 323 mm.

Product code **27830544** | Height **1000 mm above ground**



1000 mm	60–323	Galvanised	2 fixings
above ground	diameters, mm	mild steel	root fixed or base plated

Overview

A fixed steel bollard, 1000 mm above ground, that adds clear, visible security to car parks, walkways and building fronts. Steel is exceptionally strong and will not shatter on impact, so it is ideal for ram raid deterrence, protected parking and pedestrian areas.

Each bollard is made from round mild steel tube with a welded steel cap. Choose extended legs for concreting in, or a flange plate for bolting down onto an existing surface. It matches our removable and telescopic posts, so you can mix fixed and removable bollards along one run.

Key features

- **Galvanised mild steel** for long life outdoors
- **13 diameters** from 60 mm to 323 mm
- **Welded steel cap** for a neat, sealed top
- **Root fixed or base plated** options
- **Made to measure** heights, colours and diameters on request

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online

Specification

Product code	27830544
Dimensions	
Height above ground	1000 mm
Diameters	60, 76, 90, 101, 114, 127, 139, 152, 168, 193, 219, 273, 323 mm
3 mm wall	60, 76, 90, 101, 114, 127, 152 mm diameters
5 mm wall	139, 168, 193, 219 mm diameters
6.3 mm wall	273, 323 mm diameters
Overall length	1000 mm base plated, or 1400 mm root fixed
Base plate	3-hole round 133 × 5 mm (60–114 mm); 4-hole square 250 × 10 mm (127–193 mm); 4-hole square 400 × 10 mm (219 mm)
Finish	
Material	Mild steel, galvanised
Finish	Hot-dip galvanised
Cap	Welded steel cap
Options	
Fixing	Root fixed (concrete in) or base plated (bolt down)
Bespoke	Other heights, colours, finishes and diameters made to order

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online

Where it is used

Car parks, pedestrian walkways, shop fronts, building entrances and perimeters where vehicles need keeping back.

Steel bollards deter ram raids and protect parking bays, cash machines and glazing.

Root fixed or base plated?

Root fixed bollards have extended legs that are concreted into the ground, the strongest option for new groundworks.

Base plated bollards bolt down onto an existing concrete surface with a flange plate, which suits sites where you cannot dig.



Galvanised steel bollards protecting a landscaped car park.

Talk to someone who sells this every day

Tell us about your site and what you need to protect, and we will help you choose the diameter and fixing.

Call 0116 318 4182

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online