FULL HEIGHT TURNSTILES

Harby Double Full Height Pedestrian Turnstile

Two slimline full height turnstile lanes in one frame, for site entrances that need in and out traffic at the same time.

Product code **76894390** | Lanes **2**

Operation **Mechanical or motorised**



2 lanes
in one frame for two-way traffic

2150 mm
overall width

120°
three-arm rotors, room for a backpack

Any RAL
colour on request

Overview

A double full height turnstile with two lanes side by side, giving a high level of security at a sensible cost. It suits busy entrances at construction sites, industrial premises, warehouses, transport hubs, airports and stadiums, inside or out.

The 120° three-arm rotors leave room for people carrying small items such as backpacks. Run it mechanically or powered, add reader mounting plates for your access control system, and set it to free rotate when the fire alarm sounds.

Key features

- **Two lanes, one frame:** in and out traffic at the same time
- **Mechanical or motorised** operation to suit the site
- **120° three-arm rotors;** 90° four-arm also available
- **Fire alarm free rotate** when configured
- **Optional canopy head** and four access control reader plates
- **Zinc plated** steel for corrosion resistance

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online

Specification

Product code	76894390
Construction	
Frame and arms	Polyester coated, zinc plated steel
Rotor configuration	120° three-arm as standard; 90° four-arm available
Passage	Two lanes, single or bi-directional
Operation	
Mode	Mechanical (non-powered) or motorised
Emergency	Can be configured to free rotate on fire alarm
Access control	Compatible with all types of electronic access control systems
Size	
Turnstile size H × W × D (mm)	2125 × 2150 × 1298
Recommended opening W × H (mm)	2180 × 2250
Finish	
Options	Powder coated black (internal use, not for coastal sites); galvanised; galvanised and powder coated; stainless steel 304 on request
Colour	Black as standard; any RAL colour on request (extended lead time, up to 8 weeks)
Options	
Reader plates	Set of four access control reader mounting plates
Canopy	Canopy head fitted above the walkways
Supply	Flat packed or pre-assembled

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online

How it works

Credential in. Fit card, fob or biometric readers to the optional reader plates on each lane.

One way or two. Set one lane for entry and one for exit, or run both the same way at shift changes.


Emergency exit. Configure both lanes to free rotate when the fire alarm sounds.

Choosing a finish

Powder coated black is for internal or sheltered use and is not suitable for coastal sites. Choose galvanised, or galvanised and powder coated, for outdoor and exposed locations.

Stainless steel 304 and any RAL colour are available on request, with a longer lead time.

Pair it with the Harby Manual Pedestrian Gate for wheelchair users, deliveries and equipment.



Plan and front view. Dimensions in mm.

Talk to someone who sells this every day

Tell us about your entrance, your busiest times and what access control you use, and we will help you choose the finish and options.

Call 0116 318 4182