CYCLE SHELTERS

# Queensway Cycle Shelter – 4 to 50 Bikes

An open-fronted steel cycle shelter in 13 sizes from 4 to 50 bikes, 2.1 m deep, with PETG roof and back sheeting.

Range **13 sizes**



| 4–50 | 2.1 m | 50 × 50 | 3 |
|---|---|---|---|
| bikes | deep | mm frame | finishes |

## Overview

The Queensway is our most popular open-front cycle shelter, giving strong, weatherproof cover at good value. It comes in 13 sizes from 4 to 50 bikes.

It is built from 50 × 50 mm steel strongbox section, with 3 mm or 5 mm PETG UV2 roof and back sheeting and optional end panels.

## Key features

- **13 sizes** 4 to 50 bikes
- **50 × 50 mm strongbox** robust frame
- **PETG UV2 sheeting** 3 mm or 5 mm
- **Optional end panels** for exposed sites
- **Root fixed or surface mounted** both available

## Where it is used

Schools, colleges, offices, hospitals, leisure centres, retail parks, stations and residential developments.

## Root fixed or surface mounted?

**Root fixed** legs are concreted into the ground, the strongest option for new groundworks.

**Surface mounted** shelters bolt down onto an existing concrete base. Both options are available.

**Store Fittings Direct** is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.



Scan to view online

## Specification

| Range | 13 products, codes listed below |
|---|---|
| **Sizes in this range (product code)** | |
| **4 cycle shelter** | 36001800 |
| **6 cycle shelter** | 27538858 |
| **8 cycle shelter, 3.3 m × 2.1 m** | 59211547 |
| **10 cycle shelter, 4.1 m × 2.1 m** | 80303375 |
| **12 cycle shelter, 5.0 m × 2.1 m** | 39960413 |
| **14 cycle shelter, 6.1 m × 2.1 m** | 71017387 |
| **20 cycle shelter, 8.15 m × 2.1 m** | 74583203 |
| **24 cycle shelter, 10.175 m × 2.1 m** | 35563729 |
| **30 cycle shelter, 12.2 m × 2.1 m** | 95751495 |
| **34 cycle shelter, 14.2 m × 2.1 m** | 36406711 |
| **40 cycle shelter, 16.25 m × 2.1 m** | 43656707 |
| **44 cycle shelter, 18.275 m × 2.1 m** | 84829944 |
| **50 cycle shelter, 20.3 m × 2.1 m** | 47135710 |
| **Construction** | |
| **Depth** | 2.1 m |
| **Frame** | 50 × 50 mm steel strongbox section |
| **Sheeting** | 3 mm or 5 mm PETG UV2 roof and back |
| **End panels** | Optional |
| **Finish** | |
| **Frame** | Steel strongbox section to EN 10219 |
| **Galvanising** | CPA assured, inside and out, to BS EN ISO 1461 |
| **Powder coat** | To BS 3900, choice of colours |

**Store Fittings Direct** is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.



Scan to view online

| | |
|---|---|
| **Options** | Galvanised only, powder coated only, or galvanised and powder coated |



Powder coated blue.

**Talk to someone who sells this every day**

Tell us how many bikes you need to park and where, and we will help you choose the right shelter.

Call 0116 318 4182

**Store Fittings Direct** is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.



Scan to view online