STAINLESS STEEL BOLLARDS

# Stainless Steel Semi-Domed Bollard – 750 mm

A brushed 304-grade stainless steel bollard with a semi-domed top, 750 mm above ground, for a smart and secure perimeter.

Product code **64694211** | Height **750 mm**



| 750 mm | 304 | 48–204 | 2 fixings |
|---|---|---|---|
| overall height | grade stainless steel | diameters, mm | root fixed or base plated |

## Overview

A stainless steel bollard with a semi-domed top that adds clear security while looking smart. Steel is very strong and will not shatter on impact, so it suits ram raid deterrence, protected parking and pedestrian walkways.

Made from 304-grade brushed stainless steel, it resists corrosion and keeps its appearance with very little upkeep. It is a favourite with architects and planners for shop fronts, offices and public spaces, and it matches our telescopic and removable posts.

## Key features

- **304 stainless steel** brushed finish
- **Semi-domed top** for a distinctive profile
- **11 diameters** from 48 mm to 204 mm
- **Corrosion resistant** with minimal upkeep
- **Root fixed or base plated** options

**Store Fittings Direct** is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.



Scan to view online

## Specification

| Product code | 64694211 |
|---|---|
| **Dimensions** | |
| **Height** | 750 mm overall |
| **Diameters** | 48, 60, 76, 89, 101, 114, 129, 139, 154, 168, 204 mm |
| **Wall thickness** | 2 mm |
| **Concrete-in depth** | 250 mm below ground (root fixed) |
| **Base plate** | |
| **Flange plate** | Round, 5 mm thick; 120–305 mm diameter depending on bollard size |
| **Fixing holes** | 3 per bollard |
| **Finish** | |
| **Material** | 304-grade stainless steel |
| **Finish** | Brushed |
| **Top** | Semi-domed |

**Store Fittings Direct** is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.



Scan to view online

## Where it is used

Shop fronts, office entrances, public squares, car parks and pedestrian walkways where appearance matters as much as protection.

Mix with our stainless steel removable and telescopic posts for areas that need occasional access.

## Root fixed or base plated?

**Root fixed** bollards are concreted into the ground, the strongest option for new groundworks.

**Base plated** bollards bolt down onto an existing concrete surface with a flange plate, which suits sites where you cannot dig.



Brushed stainless steel bollards on a paved walkway.

### Talk to someone who sells this every day

Tell us about your site and what you need to protect, and we will help you choose the right bollards.

Call 0116 318 4182

**Store Fittings Direct** is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.



Scan to view online