STAINLESS STEEL BOLLARDS

Stainless Steel Semi-Domed Bollard – 900 mm

A brushed 304-grade stainless steel bollard with a semi-domed top, 900 mm above ground, for a smart and secure perimeter.

Product code **25852758** | Height **900 mm**



900 mm	304	48–204	2 fixings
above ground	grade stainless steel	diameters, mm	root fixed or base plated

Overview

A stainless steel bollard with a semi-domed top that adds clear security while looking smart. Steel is very strong and will not shatter on impact, so it suits ram raid deterrence, protected parking and pedestrian walkways.

Made from 304-grade brushed stainless steel, it resists corrosion and keeps its appearance with very little upkeep. It is a favourite with architects and planners for shop fronts, offices and public spaces, and it matches our telescopic and removable posts.

Key features

- **304 stainless steel** brushed finish
- **Semi-domed top** for a distinctive profile
- **11 diameters** from 48 mm to 204 mm
- **Corrosion resistant** with minimal upkeep
- **Root fixed or base plated** options

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online

Specification

Product code	25852758
Dimensions	
Height	900 mm above ground
Diameters	48, 60, 76, 89, 101, 114, 129, 139, 154, 168, 204 mm
Wall thickness	2 mm
Base plate	
Flange plate	Round, 5 mm thick; 120–305 mm diameter depending on bollard size
Fixing holes	3 per bollard
Finish	
Material	304-grade stainless steel
Finish	Brushed
Top	Semi-domed

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online

Where it is used

Shop fronts, office entrances, public squares, car parks and pedestrian walkways where appearance matters as much as protection.

Mix with our stainless steel removable and telescopic posts for areas that need occasional access.

Root fixed or base plated?

Root fixed bollards are concreted into the ground, the strongest option for new groundworks.

Base plated bollards bolt down onto an existing concrete surface with a flange plate, which suits sites where you cannot dig.



Brushed stainless steel bollards on a paved walkway.

Talk to someone who sells this every day

Tell us about your site and what you need to protect, and we will help you choose the right bollards.

Call 0116 318 4182

Store Fittings Direct is a trading name of CHF Solutions Ltd, registered in England & Wales 12316756. Specification may change without notice. © 2026 Store Fittings Direct. Not to be copied or reproduced without permission.

Scan to view online